

## **TECHNICAL DATA SHEET**



# **CRP2 DARK GREY**

**BUMPER PAINT** 



Textured paint for plastics.

## **PRODUCTS**

**CRP2 DARK GREY** 

### **PROPERTIES**

- Acrylic flexible paint, specially formulated for vehicle bumpers.
- Satin textured appearance that imitates the original.
- Direct adhesion on plastics.
- Repaintable with acrylic finish CROMAQUA and CROMACRYL 2C/Double coating.
- Different textures are achieved depending on application conditions.

## **SUBSTRATES**

- Any exterior plastic part of the vehicle.





## **CRP2 DARK GREY**

BUMPER PAINT

## **PRODUCT PREPARATION**

	Horizontal panel or mid size reparations			
		Thick	Fine	Smooth
MIXING RATIO VOLUME	CRS 350	0%	15%	40%
VOC	654G/L			
<b>*</b>	CRS 350	Unlimited		
POT-LIFE AT 20°C				
	FORD N°	Depending on the thinner addition		
VISCOSITY APPLICATION AT 20°C				
<b>*</b>	SPRAY GUN HLVP	Nozzle	Distance	Pressure
APPLICATION EQUIPMENT	GRAVITY	1,61,8mm.	10-15 cm.	1,82.2 bars
	Depends on the application method			
NR LAYERS  THINNER EVAPORATION	5- 10 min between layers.			
DFT	Depends on the application			
		CRS 350		
DRYING TIME	DRY	20 min		
	No.			
INFRARED DRYING				





BUMPER PAINT



#### **SURFACE PREPARATION**

- Wash the surface with soap and water. Rinse and dry.
- Remove grease thoroughly with proper cleanser. Dry surface with a clean cloth.
- Repair damages.
- Degrease using proper cleansing product. Dry with clean cloth.

### **STORAGE**

Store products under cover, in a well-ventilated area, away from direct sun-light. Store at temperatures between 5-30 Degrees Celsius.

Duration of container 2 years. After that period, please consult our technical department.

### **CLEANING OF EQUIPMENT**

Use a correct solventborne gunwash.

## **HEALTH AND SAFETY**

For Professional use Only.

KEEP AWAY FROM CHILDREN. WARNING! FLAMMABLE CONTENT.

HARMFUL VAPORS AND VOLATILE COMPOUNDS. IRRITATING TO EYES AND SKIN.

Handle CROMAUTO products only after having read and understood completely the materials security and safety information data sheets. Make sure that every employee is aware of data information sheets as well as all the chemical substances they get in contact with. The Manufacturer recommends the use of an air respirator while being exposed to the sprayed mist and vapors. Use appropriate clothing, gloves, and goggles with side shields.

The information provided in these sheets is given in good faith, but it does not constitute a guarantee. The included information represents our current knowledge and it is aimed to serve as a guide or reference of our products and their purpose, but it does not guarantee certain properties of the products nor their specific applications.

Please, Observe the precautionary notices displayed on the container.